



SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: **Samarium (III) Fluoride**

PRODUCT NUMBER: 3088

CAS NUMBER: 13765-24-7

SYNONYMS: Samarium Trifluoride

MANUFACTURER:

Prochem, Inc.
826 Roosevelt Road
Rockford, IL 61109

PHONE: 815-398-1788
FAX: 815-398-1810
TOLL FREE: 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram



Signal Word

Danger

Hazard Statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Phrases

P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P363	Wash contaminated clothing before reuse.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

SECTION 2 HAZARDS IDENTIFICATION (Cont.)

HMIS CLASSIFICATION:

Health: 2 Fire: 0 Reactivity Hazard: 0

NFPA RATING:

Health: 2 Flammability: 0 Reactivity Hazard: 0

EYE CONTACT: May cause irritation and serious eye damage. Effects may not immediately appear.

SKIN CONTACT: Causes irritation with redness and pain. Soluble fluoride may be corrosive. Effects may not appear immediately.

INHALATION: Inhalation of dust may cause severe irritation to the respiratory tract, causing coughing, sore throat, and labored breathing.

INGESTION: May cause salivation, nausea, vomiting, diarrhea, and abdominal pain.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: SmF_3

Molecular Weight: 207.36

CHEMICAL NAME	CAS#	%
Samarium Fluoride	13765-24-7	100

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediately competent medical attention.

SKIN EXPOSURE: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Product is not flammable

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use fire fighting measures suitable for surround fire.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Hydrogen fluoride and samarium oxide.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allow release to the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Small spills can be mixed with powdered sodium bicarbonate, lime, or calcium carbonate and swept up.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Avoid contact with skin and eyes. Ensure adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of dusts and aerosols.

CONDITIONS FOR SAFE STORAGE: Store in cool, dry well ventilated area. Keep away from incompatible materials. Do not allow this product to get in contact with water during storage. Do not store near acids. Protect from carbon dioxide.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS: Contains no substances with occupational exposure limit values.

Component	Exposure Limits	Basis	Entity
Samarium Fluoride	2.5 mg/m ³	TLV	ACGIH
	2.5 mg/m ³	PEL	OSHA
	2.5 mg/m ³	REL	NIOSH
	3 mg/m ³ *	BEI-U	ACGIH
	10 mg/m ³ **	BEI-U	ACGIH

*Prior to shift

**End of shift

TLV: Threshold Limit Value over 8 hours of work.

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI-U: Biological Exposure Indices in Urine

EYE PROTECTION: Wear chemical safety glasses or goggles and face shield.

SKIN PROTECTION: Wear nitrile or rubber gloves, and a complete suit protecting against chemicals.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: Off-white powder

ODOR: None

MOLECULAR WEIGHT: 207.36

BOILING POINT: 2323° C

MELTING POINT: 1306° C

SPECIFIC GRAVITY: 6.928 gm/ml

VAPOR DENSITY: No data available

SOLUBILITY: Insoluble

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Avoid moisture

INCOMPATIBILITY: Strong reducing agents

DECOMPOSITION PRODUCTS: Hydrogen fluoride and samarium oxide.

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: Not available

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is identified a carcinogen.

MUTAGENIC EFFECTS: Not available

TETRAOGENIC EFFECTS: Not available

CHRONIC TOXICITY: Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage. Small doses of nitrates may cause weakness, general depression, headache and mental impairment. Larger doses may cause dizziness, abdominal cramps, vomiting, bloody diarrhea, convulsions, and collapse.

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No data available.

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

UN3288

Toxic solid, inorganic, n.o.s.

(Samarium Fluoride)

CLASS 6.1

PG III

Marine Pollutant: No

SECTION 15 REGULATORY INFORMATION

TSCA: Listed in the TSCA inventory

DSCL (EEC): Listed on the DSCL inventory

SARA 302/304: Not Listed

SARA 311/312: Acute Health Hazards

SARA (TITLE 313): Not Listed

CALIFORNIA PROP. 65: Not Listed

NEW JERSEY RIGHT TO KNOW COMPONENTS: Samarium (III) Fluoride

PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Samarium (III) Fluoride

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 08/14